



# WASTECORP Pumps®

## WASTECORP® HONEY WAGONS

### HW 325™ Gallon

- Recreational Waste Collection
- Black/Grey Water Pump Out
- Biodiesel Grease Trap Waste

#### FEATURES

ELECTRIC OR ENGINE PUMP MODELS

2" CLEAR SWING CHECK VALVE

30 FT SUCTION NON-COLLAPSIBLE EPDM (GRN/BLK) HOSE

CAMLOCKS INCLUDED

MUD SUCKER PUMP TECHNOLOGY STANDARD

SEVERE DUTY AXLE AND WHEELS

OPTIONAL ACCESSORIES

Shown: HW-300 Series honey wagon with DOT package.



## CONQUER SEPTIC WASTE AND WASTE OIL PUMPING WITH EASE.

One of our top selling honey wagons is the 325 gallon trailer mounted series. The HW-325 transfers any type of non-explosive liquid including fryer oil, waste trap grease, RV grey water or black water at campgrounds, dirty water, raw sewage and general wastewater. You select from skid mounted or trailer mounted configurations for tough waste pumping jobs.

PROFESSIONAL PUMP SYSTEMS USING MUD SUCKER® TECHNOLOGY - THE WASTECORP ADVANTAGE.



#### BASE MOUNTED

If a stationary waste containment system is more appropriate for your application you have the option of selecting from a variety of mounting configurations. Just tell us what you're using it for (truck bed installation, cube van mounting, etc).



#### PREMIUM COMPONENTS

Your honey wagon investment is backed by top industry rated components and standard spill proof attachments. Plus your pump out ships with application specific components at no extra charge.



#### ITS ALL ABOUT THE DESIGN

No detail gets overlooked in the production of your honey wagon. Our premium welded trailers are designed to adapt to full tank loads, making for a more stable pump out.

# HW 325™ Gallon

- Recreational Waste Collection
- Black/Grey Water Pump Out
- Biodiesel Grease Trap Waste



325 gallon polyethylene waste tank


Premium welded hose and accessory bin\*

Premium non-collapsible hosing

Exclusive Mud Sucker pump technology manufactured by Wastecorp standard.

**Galvanized trailer for the ultimate in corrosion resistance\***

DOT approved trailer package with LED lighting and electric brakes\*\*



Your choice of pintle hook or ball hitch

## PUMP OUT INSPIRATION GALLERY




Campground/Recreational



Industrial Waste Containment



Marine Pump Out



Waste Oil Collection and Containment System



Bilge Waste Pump Out Commercial Marine

Performance Range	2" Pump	3" Pump
Max. capacity	20 GPM	80 GPM
Max. suction lift	20' vertical or 75' horizontal	20' vertical or 75' horizontal
Max. discharge head	50' vertical or 300' horizontal	50' vertical or 300' horizontal
Solids handling	1½" dia or 50% by volume	2.25" dia or 50% by volume

Pump and Motor Specifications	2" Pump	3" Pump
Suction inlet/outlet size	1.5" or 2"	3"
Max. liquid temperature	140° F (60° C) continuous	140° F (60° C) continuous
Pump body casing	Aluminum	Aluminum
Diaphragm	7" dia. fabric reinforced Buna-N	13" dia. thermoplastic elastomer (Santoprene)
Flapper valves	Fabric reinforced Viton	Reinforced HNBR
Pump rod	Steel	Steel
Gaskets	Neo-nylon	HNBR (Integral)
Inlet/outlet flanges	Aluminum	Aluminum
Lubrication	Alemite grease fitting	Alemite grease fitting
Gearbox	SEW Eurodrive or Siemens	SEW Eurodrive or Siemens
Motor specification (standard)	Gas, diesel, explosion proof, DC, air and hydraulic	Gas, diesel, explosion proof, DC, air and hydraulic

Trailer Specifications	
Hitch Connection	2" ball or 3" pintle hook
GVWR	3,500 lbs
Axle	Single
Brakes	Optional
Lighting	Optional

Horizontal Leg Tank Specifications	
Tank material	Polyethylene white. (steel available)
Fill opening size	16" dia.
Drain size	2" dia
Wall thickness	1/2" poly (call for steel thickness)

# HW 325™ Gallon

- Recreational Waste Collection
- Black/Grey Water Pump Out
- Biodiesel Grease Trap Waste





## We Recommend You Consider...

### If You Have a Corrosive or Salt Water Application


Part #	Description
60633-08	Stainless steel weights, check valve seats, viton gaskets
60452-06	Clamping plate, 304 Stainless steel
62678-60	<b>Corrosive Fluid Fighter Package:</b> Wet section coated with Epoxy coating

### Spare Parts Kits


Part #	Description
 61285-00	Genuine OEM Mud Sucker Basic Spare Parts Kit. Diaphragm and flappers only
 61284-00	Genuine OEM Mud Sucker Comprehensive Spare Parts Kit. Includes diaphragm, flappers, gaskets, weights and hardware

## Industry Specific Accessories





### Marine

Part #	Description
 62465-00	Marine hose adapter w/90 nozzle ball valve, check valve and marine adapter

### Recreational/Campground

Part #	Description
 61387-00	Universal RV sewer adapter kit. 3" Valterra fitting O/E and 2" male camlock



### Septic, Waste Oil Collection and Containment

Part #	Description
 63244-00	Suction wand 2"x24"l w/90 & male cam o/e
 63245-00	Suction wand 2"x36"l w/90 & male cam o/e
 62672-00	Suction wand 2"x48"l w/90 & male cam o/e
 62449-00	Hose reel, manual crank, fits 2" non-collapsible hose, (up to 75 ft.) Additional hose, purchase separately

## Model Options



### Base Mounted (Stationary)

System Includes a 325 gallon tank, professionally welded frame and hose rack, all hosing (discharge and non-collapsible suction) and a Mud Sucker® Diaphragm pump out system.

Part #	Model#	Description
 63734-00	HW-300™ S Series (Engine)	325 gallon tank, engine driven
 63730-00	HW-300™ S Series (Electric)	325 gallon tank, electric driven



### DOT Approved Trailer Models (Highway Use)

System Includes a 325 gallon tank, electric brakes, DOT lighting package, fully galvanized trailer and deck for enhanced corrosion resistance, premium welded hose rack, all hosing (discharge and non-collapsible suction) and a Mud Sucker® Diaphragm pump out system.

Part #	Model#	Description
 63734-20	HW-300™ Series (Engine)	325 gallon tank, engine driven
 63730-20	HW-300™ Series (Electric)	325 gallon tank electric driven


### Off Road Use (Not for Public Road Use)

System Includes a 325 gallon tank, and professionally welded frame, plastic fenders, premium welded hose rack, all hosing (discharge and non-collapsible suction) and a Mud Sucker® Diaphragm pump out system.

Part #	Model#	Description
 63734-10	HW-300™ UT Series (Engine)	325 gallon tank, engine driven, no lights, no brakes, not galvanized
 63730-10	HW-300™ UT Series (Electric)	325 gallon tank, electric driven, no lights, no brakes, not galvanized

### Storage Cage

Recommended for pump out users who travel frequently on public roads. The storage cage makes it easier to secure hoses and accessories when travelling.

Part #	Description
 62449-00	Premium welded storage cage mounted on the fender of your honey wagon